

# **SD** Display

## **SD Displays**

compatible with various Poclain transmission applications.







#### New 4,3" and 1,5" Electronic display

Poclain Hydraulics improves continuously its product ranges and is replacing its 1,5" and 4,3" electronic display.









New SD-DISPLAY-CR0451 P/N B56556X



Display P/N A48371C





New SD-DISPLAY-CR0452 P/N B50721F



### New SD-Display -CR0451 P/N B56556X

- □Improved aesthetic
- □Optimized number of control button
- □Small size
- □Configurable displayed units
- □display of essential information related to the Poclain system.





## New SD-Display -CR0451 P/N B56556X







Software available to replace the old 1,5"

Display




Software available for Transmission



#### New SD-Display -CR0452 P/N B50721F

- □Improved aesthetic
- □Optimized number of control button
- ☐ More compact
- ☐ Same screen size (as the previous generation)
- □Configurable displayed units



☐ Thermal engine diagnostic data capable via CAN Bus



https://www.poclain-hydraulics.com/en/products/electronics/cr0452



# New SD-Display -CR0452 P/N B50721F








Transmission Offroad Assistance



## PHASES-CT: Configuration: Gateway

How can I connect to the SD-CT-200 or 300 E.C.Us.? 1/ By connector communication





#### PHASES-CT: Configuration: Gateway

How can I connect to the SD-CT-200 or 300 E.C.Us.? 2/ By SmartDrive CT cable

